

L Number	Hits	Search Text	DB	Time stamp
1	14	(print\$5 adj1 sett\$5) same (print\$5 adj1 file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 14:29
8	1	("6574002").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:33
9	5296	(358/1.13, 358/1.15, 358/1.16, 358/402, 358/403).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:42
15	1876	(print\$5 adj1 file) or print\$5 with (mail adj1 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:43
16	183	((358/1.13, 358/1.15, 358/1.16, 358/402, 358/403).ccls.) and ((print\$5 adj1 file) or print\$5 with (mail adj1 box))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:43
17	153	((358/1.13, 358/1.15, 358/1.16, 358/402, 358/403).ccls.) and ((print\$5 adj1 file) or print\$5 with (mail adj1 box))) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:44
-	6738	(print\$5 adj1 (driver\$5 or sett\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:21
-	1229	(fil\$5 or mail\$5) same ((print\$5 adj1 (driver\$5 or sett\$5)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:23
-	6599	information adj1 process\$5 adj1 apparatus	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:24
-	8	((fil\$5 or mail\$5) same ((print\$5 adj1 (driver\$5 or sett\$5)))) same (information adj1 process\$5 adj1 apparatus)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 11:50
-	3	("5859954" "5878198" "6304336").PN.	USPAT	2003/08/28 14:24
-	840	((fil\$5 or mail\$5) same ((print\$5 adj1 (driver\$5 or sett\$5)))) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:16
-	226	(print\$5 adj1 sett\$6) with (file or mail or memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:17
-	168	((print\$5 adj1 sett\$6) with (file or mail or memory)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:40
-	227	(print\$5 adj1 sett\$5) with (file or memory or mailbox)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 14:01
-	227	(print\$5 adj1 sett\$5) with (file or memory or mailbox) same (select\$5 or choos\$5 or set\$6 or appl\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 13:54
-	170	((print\$5 adj1 sett\$5) with (file or memory or mailbox) same (select\$5 or choos\$5 or set\$6 or appl\$5)) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 14:00
-	34	print\$6 adj1 menu with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 14:13

-	650	(print\$5 or fax or facsimile or cop\$5) same mail adj1 box	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:09
-	14	((print\$5 or fax or facsimile or cop\$5) same mail adj1 box) same display same interface	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:09
-	12	((print\$5 or fax or facsimile or cop\$5) same mail adj1 box) same display same interface) and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:13
-	94	((print\$5 or fax or facsimile or cop\$5) same mail adj1 box) and 358.clas. and @ad<19990129	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:47
-	14	(sett\$5 with mail adj1 box) same print\$5	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:25
-	12	mail adj1 box adj1 mode	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/08/29 13:52